


### Single row taper roller bearings

PART NO	d(mm)	D(mm)	T(mm)
002 981 1305	55.000	90.000	23.000
008 981 2805	40.000	90.975	32.000
011 981 1305	75.000	140.000	34.210
012 981 9205	60.000	130.000	34.000
012 981 9305	60.000	137.300	33.700
K-02473/K-02420	25.400	68.262	22.225
K-02474/K-02420	28.575	68.262	22.225
K-02475/K-02420	31.750	68.262	22.225
02476/02420	31.750	68.262	22.225
02872/02820	28.575	73.025	22.225
K-02876/K-02820	31.750	73.025	22.225
K-02877/K-02820	34.925	73.025	22.225
02878/02820	34.925	73.025	22.225
03062/03162	15.875	41.275	14.288
K-05079/K-05185	19.987	47.000	14.382
07079/07196	20.000	50.005	13.495
K-07087/K-07210	22.225	50.800	15.011
07093/07196	23.812	50.005	13.495
07098/07196	24.981	50.005	13.495
K-07100S/K-07196	25.400	50.005	13.495
07100 S/07210 X	25.400	50.800	15.011
09067/09195	19.050	49.225	19.845
K-09067/K-09196	19.050	49.225	23.020
09074/09195VQ494	19.050	49.225	19.845
K-09081/K-09196	20.625	49.225	23.020
LM 102949/910	45.242	73.431	19.558
104947/104911	50.000	82.550	21.590
104947/104912	50.000	82.931	21.590
JLM 104948 AA/910 AA	50.000	82.000	21.500
LM 104949/911	50.800	82.550	21.590
11162/11300	41.275	76.200	18.009
11163/11300	41.275	76.200	18.009
11590/11520	15.875	42.862	14.288
LM 11749/710	17.462	39.878	13.843
LM 11749/710VC027 *	17.462	39.878	13.843
LM 11949/910	19.050	45.237	15.494
12303	18.000	47.000	14.383
12435	26.000	59.000	17.500
K-12580/K-12520	20.638	49.225	19.845
12648/12610	22.225	50.005	17.526
M 12649/610	21.430	50.005	17.526
LM 12748/710	21.430	45.237	15.494
LM 12749/710	21.986	45.237	15.494
LM 12749/711	21.986	45.974	15.494
1280/1220	22.225	57.150	22.225
13682/13620	36.512	69.012	41.275
K-13685/K-13620	38.100	69.012	41.275
13687/13620	38.100	69.012	41.275
K-13687/K-13621	38.100	69.012	41.275
K-1380/K-1328	22.225	52.388	19.367
K-1380/K-1329	22.225	53.975	19.367
14116/14274	30.226	69.012	19.845





PART NO	d(mm)	D(mm)	T(mm)
K-14116/K-14276	30.226	69.012	39.705
14117A/14274	30.000	69.012	19.845
K-14117A/K-14276	30.000	69.012	39.705
14118/14274 A	30.000	68.956	19.845
K-14118/K-14276	30.000	69.012	39.705
K-14118/K-14283	30.000	72.085	44.785
K-14124/K-14276	31.750	69.012	39.705
14124/14283	31.750	72.085	44.785
K-14125/K-14274	31.750	69.012	19.845
K-14125/K-14276	31.750	69.012	39.705
K-14131/K-14274	33.338	69.012	19.845
14131/14276	33.338	69.012	19.845
14131/14283	33.338	72.085	22.385
K-14137A/K-14274	34.925	69.012	19.845
14137 A/14276	34.925	69.012	19.845
K-14137A/K-14283	34.925	72.085	44.785
K-14138 A/K-14274	34.925	69.012	19.845
14585/14525	34.925	68.262	20.638
15100/15245	25.400	62.000	19.050
K-15100/K-15250	25.400	63.500	20.637
15100S/15250	25.400	63.500	20.638
15101/15245	25.400	62.000	19.050
K-15101/K-15250	25.400	63.500	20.637
15102/15250 X	25.400	63.500	20.637
15103 S/15243	25.400	61.912	19.050
15103 S/15245	25.400	62.000	19.050
K-15106/K-15245	26.988	62.000	19.050
K-15112/K-15245	28.575	62.000	19.050
K-15112/K-15250	28.575	63.500	20.637
K-15113/K-15245	28.575	62.000	19.050
K-15113/K-15250	28.575	63.500	20.637
15116/15245	30.112	62.000	19.050
K-15117/K-15245	29.987	62.000	19.050
15117/15250	29.987	63.500	20.637
K-15118/K-15245	30.213	62.000	19.050
K-15118/K-15250	30.213	63.500	20.637
15119/15245	30.213	62.000	19.050
K-15120/K-15245	30.213	62.000	19.050
15123/15243	31.750	61.912	19.050
15123/15245	31.750	62.000	19.050
K-15123/K-15250	31.750	63.500	20.637
K-15125/K-15245	31.750	62.000	19.050
15125/15250	31.750	63.500	20.638
15126/15245	31.750	61.999	19.050
15126/15250	31.750	63.500	20.637
15578/15520	25.400	57.150	17.462
15580/15523	26.988	60.325	19.842
K-15590/K-15520	28.575	57.150	17.462
K-16150/K-16282	38.100	71.999	18.999
16150/16283	38.100	72.238	23.812
16150/16284	38.100	72.238	20.638
17098/17244	24.981	62.000	16.002
K-1755/K-1729	22.225	56.896	19.368
1779/1738	23.812	57.150	20.218



PART NO	d(mm)	D(mm)	T(mm)
17887/17831	45.230	79.985	30.559
18590/18520	41.275	73.025	16.667
K-18685/K-18620	44.450	79.375	17.462
18690/18620	46.038	79.375	17.462
18780/18720	46.038	85.000	17.462
18790/18720	50.800	85.000	17.462
18790/18724	50.800	88.900	17.462
19150/19281	38.100	71.438	31.750
K-19150/K-19283	38.100	72.000	34.036
1982 F/1924 AVQ519 *	27.500	57.150	19.845
1985/1922	28.575	57.150	19.845
1986/1922	25.400	57.150	7.937
K-1986/K-1932	25.400	58.738	19.050
1987/1922	26.975	57.150	19.845
1988/1922	28.575	57.150	19.845
K-1997/K-1922	26.988	57.150	19.845
K-M 201047/K-M 201011	39.688	73.025	25.654
M 2010447/011	39.688	73.025	25.654
JM 205149/110	50.000	90.000	28.000
K-21075/K-21212	19.050	53.975	22.225
212047/212010	63.500	122.238	38.100
212049/212010	66.675	122.238	38.100
212049/212011	66.675	122.238	38.100
HM 218248/W/2A/210/2A	90.000	147.000	40.000
HM 220149/110	100.000	156.975	42.000
23092/23256	23.812	65.088	22.225
K-23100/K-23256	25.400	65.088	22.225
HM 231132/110	139.700	236.538	57.150
HM 231148/110	149.225	236.538	57.150
23690/23620	34.925	73.025	26.988
24780/24720	41.275	76.200	22.225
K-24780/K-24721	41.275	76.200	25.400
25570/25519	36.512	82.550	23.813
25572/25520	38.100	82.931	23.813
25577/2/25520/2	42.875	82.931	23.812
25577/2/25523/2	42.875	83.058	23.876
25577/25521	42.875	83.058	23.813
K-25578/K-25520	42.862	82.931	23.813
25578/25521	42.862	83.058	23.813
25578/25523	42.862	82.931	26.988
25580/25520	44.450	82.931	23.812
25580/25521	44.450	83.058	23.813
25580/25522	44.450	83.058	23.876
25580/25523	44.450	82.931	26.988
25580/25526	44.450	85.000	23.813
25581/25522	44.450	83.058	23.876
K-25584/K-25520	44.983	82.931	23.813
25584/25521	44.983	83.058	23.813
K-25584/K-25523	44.983	82.931	26.988
25584/25527	44.983	85.000	26.988
25590/25520	45.618	82.931	23.812
25590/25522	45.618	83.058	23.876
25590/25523	45.618	82.931	26.988
2578/2520	28.575	66.421	24.606



PART NO	d(mm)	D(mm)	T(mm)
K-2580/K-2520	31.750	66.421	24.606
2581/2520	33.338	66.421	24.606
2585/2520	33.338	66.421	24.606
K-2585/K-2523	33.338	69.850	23.813
25877/2/25821/2	34.925	73.025	23.812
K-25877/K-25820	34.925	73.025	23.813
K-25878/K-25820	34.925	73.025	23.813
K-25878/K-25821	34.925	73.025	23.813
25880/25820	36.487	73.025	23.812
K-25880/K-25821	36.487	73.025	23.813
JL 26749 F/710	32.000	53.000	14.500
26877/26822	36.512	79.375	23.813
K-26878/K-26820	34.925	73.025	23.813
K-26878/K-26822	34.925	79.375	23.813
K-26881/K-26822	39.688	79.375	23.813
26881/26830	39.688	80.167	25.400
26882/26821	41.275	73.025	23.813
K-26882/K-26822	41.275	79.375	23.813
26884/26820	42.875	73.025	23.813
K-26884/K-26822	42.875	79.375	23.813
K-26884/K-26823	42.875	76.200	25.400
26885/26820	41.275	73.025	23.813
26886/26823	42.875	76.200	25.400
2690/2631	29.367	66.421	23.812
27680/27620	73.025	125.412	25.400
27684/27620	76.200	125.412	25.400
K-27687/K-27620	82.550	125.412	25.400
2776/2735X	38.100	73.025	23.775
2780/2729	36.487	76.200	23.775
2780/2735	36.487	73.025	23.775
K-2780/K-2720	36.487	76.200	23.775
K-2785/K-2729	33.338	76.200	23.775
2786/2735	34.925	73.025	23.775
2788/2720	38.100	76.200	23.812
K-2788/K-2729	38.100	76.200	23.775
K-2788/K-2735X	38.100	73.025	23.775
K-27881/K-27820	38.100	80.035	24.608
K-2789/K-2720	39.688	76.200	23.775
K-2789/K-2729	39.688	76.200	23.775
K-2789/K-2735X	39.688	73.025	23.775
K-2790/K-2720	33.338	76.200	23.775
2790/2729	33.338	76.200	23.775
2790/2735	33.338	73.025	23.775
2793/2729	34.925	76.200	23.775
2793/2735	34.925	73.025	23.775
K-2793/K-2720	34.925	76.200	23.775
2794/2729	36.487	76.200	23.775
K-2794/K-2720	36.487	76.200	23.775
K-2794/K-2735	36.487	73.025	23.775
K-2796/K-2720	34.925	76.200	23.775
K-2796/K-2729	34.925	76.200	23.775
28576/28521	44.869	92.075	24.607
28579/28521	49.987	92.075	24.607
K-28580/K-28521	50.800	92.075	24.607



# Kasuma®

## BEARINGS

PART NO	d(mm)	D(mm)	T(mm)
K-28584/K-28521	52.388	92.075	24.607
28678/28622 B	50.800	97.630	24.608
K-28680/K-28622	55.562	97.630	24.608
K-28682/K-28920	57.150	101.600	25.400
K-28985/K-28920	60.325	101.600	25.400
K-28985/K-28921	60.325	100.000	25.400
28990/28920	61.976	101.600	25.400
K 29586/29522	63.500	107.950	25.400
29675/29620/3	69.850	11.271	25.400
29675/29630	69.850	120.650	25.400
29680/29630	70.637	120.650	25.400
29685/2/29620/3	73.025	11.271	25.400
29685/29630	73.025	120.650	25.400
K-29688/K-29620	73.817	112.712	25.400
LM 29748/710	38.100	65.088	18.034
K-LM 29748/K-LM 29711	38.100	65.088	19.812
LM 29749/710CL7CVA607 *	38.100	65.088	18.034
LM 29749/711	38.100	65.088	19.812
LM 29749/711CL7CVA607 *	38.100	65.088	19.812
K-2984/K-2924	46.038	85.000	25.400
LM 300849/811	40.988	67.975	17.500
30202	15.000	35.000	11.750
30202-A	15.000	35.000	11.750
30203	17.000	40.000	13.250
30204	20.000	47.000	15.250
30205	25.000	52.000	16.250
30206	30.000	62.000	17.250
30207	35.000	72.000	18.250
30208	40.000	80.000	19.750
30209	45.000	85.000	20.750
30210	50.000	90.000	21.750
30211	55.000	100.000	22.750
30212	60.000	110.000	23.750
30213	65.000	120.000	24.750
30214	70.000	125.000	26.250
30215	75.000	130.000	27.250
30216	80.000	140.000	28.250
30217	85.000	150.000	30.500
30218	90.000	160.000	32.500
30219	95.000	170.000	34.500
30220	100.000	180.000	37.000
30221	105.000	190.000	39.000
30222	110.000	200.000	41.000
30224	120.000	215.000	43.500
30226	130.000	230.000	43.750
30228	140.000	250.000	45.750
30230	150.000	270.000	49.000
302/28	28.000	58.000	17.250
30302	15.000	42.000	14.250
30303	17.000	47.000	15.250
30304	20.000	52.000	16.250
30305	25.000	62.000	18.250
30306	30.000	72.000	20.750
30307	35.000	80.000	22.750



# Kasuma<sup>®</sup>

## BEARINGS

PART NO	d(mm)	D(mm)	T(mm)
30308	40.000	90.000	25.250
30309	45.000	100.000	27.250
30310	50.000	110.000	29.250
30311	55.000	120.000	31.500
30312	60.000	130.000	33.500
30313	65.000	140.000	36.000
30314	70.000	150.000	38.000
30315	75.000	160.000	40.000
30316	80.000	170.000	42.500
30317	85.000	180.000	44.500
30318	90.000	190.000	46.500
30319	95.000	200.000	49.500
30320	100.000	215.000	51.500
30321	105.000	225.000	53.500
30322	110.000	240.000	54.500
30322-A	110.000	240.000	54.500
30324	120.000	260.000	59.500
30324-A	120.000	260.000	59.500
30326	130.000	280.000	63.750
30328	140.000	300.000	67.750
30330	150.000	320.000	72.000
31305	25.000	62.000	18.250
31306	30.000	72.000	20.750
31307	35.000	80.000	22.750
31308	40.000	90.000	25.250
31309	45.000	100.000	27.250
31310	50.000	110.000	29.250
31311	55.000	120.000	31.500
31312	60.000	130.000	33.500
31313	65.000	140.000	36.000
31314	70.000	150.000	38.000
31315	75.000	160.000	40.000
31317	85.000	180.000	44.500
31316 J1	80.000	170.000	42.500
31318	90.000	190.000	46.500
31319	95.000	200.000	49.500
31320 X/CL7CVQ051 *	100.000	215.000	56.500
31322 X	110.000	240.000	63.000
31324 X	120.000	260.000	68.000
31326 X	130.000	280.000	72.000
31328 X	140.000	300.000	77.000
31330 X	150.000	320.000	82.000
K-31593/K-31520	34.925	76.200	29.370
K-31593/K-31521	34.925	76.200	29.370
31594/31520	34.925	76.200	29.370
K-31597/K-31520	36.512	76.200	29.370
K-31597/K-31521	36.512	76.200	29.370
K-JHM 318448/K-JHM 318410	90.000	155.000	44.000
K-3188/K-3120	31.750	72.626	30.162
K-3193/K-3120	31.750	72.626	30.162
K-3196/K-3120	33.338	72.626	30.162
3196/3130	33.338	72.626	30.162
320/22 X	22.000	44.000	15.000
320/28 X	28.000	52.000	16.000



# Kasuma<sup>®</sup>

## BEARINGS

PART NO	d(mm)	D(mm)	T(mm)
320/32 X	32.000	58.000	17.000
32004 X	20.000	42.000	15.000
32005 X	25.000	47.000	15.000
32006 X	30.000	55.000	17.000
32007	35.000	62.000	18.000
32008 X	40.000	68.000	19.000
32008 XRVA621 *	40.000	68.000	19.000
32008 XTN9	40.000	68.000	19.000
32008/38 X	38.000	68.000	19.000
32009 X	45.000	75.000	20.000
32010 X	50.000	80.000	20.000
32011 X	55.000	90.000	23.000
32012 X	60.000	95.000	23.000
32013 X	65.000	100.000	23.000
32014 X	70.000	110.000	25.000
32015 X	75.000	115.000	25.000
32016 X	80.000	125.000	29.000
32017 X	85.000	130.000	29.000
32018 X	90.000	140.000	32.000
32019 X	95.000	145.000	32.000
32020 X	100.000	150.000	32.000
32021 X	105.000	160.000	35.000
32022 X	110.000	170.000	38.000
32024 X	120.000	180.000	38.000
32026 X	130.000	200.000	45.000
32028 X	140.000	210.000	45.000
32030 X	150.000	225.000	48.000
322/28 B	28.000	58.000	20.250
32205 B	25.000	52.000	19.250
32206	30.000	62.000	21.250
32206	30.000	62.000	21.250
32206 BCL7CVA606 *	30.000	62.000	21.250
32207	35.000	72.000	24.250
32208	40.000	80.000	24.750
32208 B	40.000	80.000	24.750
32209	45.000	85.000	24.750
32210	50.000	90.000	24.750
32210/45 BVB022 *	45.000	90.000	24.750
32211	55.000	100.000	26.750
32212	60.000	110.000	29.750
32212 B	60.000	110.000	29.750
32213	65.000	120.000	32.750
32214	70.000	125.000	33.250
32215	75.000	130.000	33.250
32216	80.000	140.000	35.250
32217	85.000	150.000	38.500
32218	90.000	160.000	42.500
32219	95.000	170.000	45.500
32220	100.000	180.000	49.000
32221	105.000	190.000	53.000
32222	110.000	200.000	56.000
32224	120.000	215.000	61.500
32226	130.000	230.000	67.750
32228	140.000	250.000	71.750



PART NO	d(mm)	D(mm)	T(mm)
32230	150.000	270.000	77.000
32303	17.000	47.000	20.250
32304	20.000	52.000	22.250
32305	25.000	62.000	25.250
32306	30.000	72.000	28.750
32307	35.000	80.000	32.750
32308	40.000	90.000	35.250
32309	45.000	100.000	38.250
32309 BR	45.000	100.000	38.250
32310	50.000	110.000	42.250
32311	55.000	120.000	45.500
32311 BR	55.000	120.000	45.500
32312	60.000	130.000	48.500
32313	65.000	140.000	51.000
32314	70.000	150.000	54.000
32315	75.000	160.000	58.000
32316	80.000	170.000	61.500
32317	85.000	180.000	63.500
32318	90.000	190.000	67.500
32319	95.000	200.000	71.500
32320	100.000	215.000	77.500
32321	105.000	225.000	81.500
32322	110.000	240.000	84.500
32324	120.000	260.000	90.500
32326	130.000	280.000	98.750
32328	140.000	300.000	107.750
32330	150.000	320.000	114.000
L 327249/210	133.350	177.008	25.400
32907	35.000	55.000	14.000
32908	40.000	62.000	15.000
32909	45.000	68.000	15.000
32910	50.000	72.000	15.000
32911	55.000	80.000	17.000
32912	60.000	85.000	17.000
32913	65.000	90.000	17.000
32914	70.000	100.000	20.000
32916	80.000	110.000	20.000
32917	85.000	120.000	23.000
32918	90.000	125.000	23.000
32919	95.000	130.000	23.000
32920	100.000	140.000	25.000
32921	105.000	145.000	25.000
32922 X	110.000	150.000	25.000
32924	120.000	165.000	29.000
32926	130.000	180.000	32.000
32928	140.000	190.000	32.000
32930	150.000	210.000	38.000
33005	25.000	47.000	17.000
33006	30.000	55.000	20.000
33007	35.000	62.000	21.000
33008	40.000	68.000	22.000
33009	45.000	75.000	24.000
33010	50.000	80.000	24.000
33011	55.000	90.000	27.000



PART NO	d(mm)	D(mm)	T(mm)
33012	60.000	95.000	27.000
33013	65.000	100.000	27.000
33014	70.000	110.000	31.000
33015	75.000	115.000	31.000
33016	80.000	125.000	36.000
33017	85.000	130.000	36.000
33018	90.000	140.000	39.000
33019	95.000	145.000	39.000
33020	100.000	150.000	39.000
33021	105.000	160.000	43.000
33022	110.000	170.000	47.000
33024	120.000	180.000	48.000
33030	150.000	225.000	59.000
33108	40.000	75.000	26.000
33109	45.000	80.000	26.000
33110	50.000	85.000	26.000
33111	55.000	95.000	30.000
33112	60.000	100.000	30.000
33113	65.000	110.000	34.000
33114	70.000	120.000	37.000
33115	75.000	125.000	37.000
33116	80.000	130.000	37.000
33117	85.000	140.000	41.000
33118	90.000	150.000	45.000
33122	110.000	180.000	56.000
331257	40.000	95.000	27.250
33205	25.000	52.000	22.000
33206	30.000	62.000	25.000
33207	35.000	72.000	28.000
33208	40.000	80.000	32.000
33209	45.000	85.000	32.000
33210	50.000	90.000	32.000
33211	55.000	100.000	35.000
33213	65.000	120.000	41.000
33213 TN9	65.000	120.000	41.000
33214	70.000	125.000	41.000
33215	75.000	130.000	41.000
33216	80.000	140.000	46.000
33217	85.000	150.000	49.000
33219	95.000	180.000	58.000
33220	100.000	180.000	63.000
33225/33462	57.150	117.475	30.162
K-33262/K-33462	66.675	117.475	30.162
K-33275/K-33462	69.850	117.475	30.162
33281/33462	71.438	117.475	30.162
K-33281/K-33472	71.438	120.000	29.794
33287/33462	73.025	117.475	30.162
K-33287/K-33472	73.025	120.000	29.794
K-336/K-332	41.275	80.000	21.000
K-337/K-332	38.100	80.000	21.000
K-3379/K-3320	34.925	80.167	26.987
3379/3325	34.925	79.974	29.370
K-33885/K-33821	44.450	95.250	27.783
K-33885/K-33822	44.450	95.250	27.783



PART NO	d(mm)	D(mm)	T(mm)
3386/3320	39.688	80.167	26.987
K-33889/K-33822	50.800	95.250	27.783
33891/33822	52.388	95.250	27.783
33895/33821	53.975	95.250	27.783
33895/33822	53.975	95.250	27.783
K-339/K-332	35.000	80.000	21.000
K-342/K-332	41.275	80.000	21.000
34274/34478	69.952	121.442	49.202
34274/34492 A	69.952	125.052	23.731
34275/34492 A	70.000	125.052	23.731
34306/34478	77.788	121.442	49.202
34306/34492 A	77.788	125.052	23.731
34307/34478	77.788	121.442	49.202
K-344/K-332	40.000	80.000	21.000
K-3474/K-3420	30.162	79.375	29.370
K-3478/K-3420	34.925	79.375	29.370
3479/3420	36.512	79.375	29.370
3482/3420	34.925	79.375	29.370
K-350/K-352	40.000	90.119	23.000
350 A/354 A	40.000	85.000	20.635
K-355/K-352	44.450	90.119	23.000
355 A/354 A	44.450	85.000	20.635
355 X/352	44.450	90.119	23.000
357/354 X	40.000	85.000	20.635
3576/3525	41.275	87.312	26.992
3577/3520	41.275	84.138	26.992
K-3578/K-3520	44.450	84.138	26.992
K-3578/K-3525	44.450	87.312	26.992
K-3579/K-3525	42.862	87.312	26.992
3579/3520	42.862	84.138	26.992
358 X/354 X	45.000	85.000	20.638.000
3580/3520	38.100	84.138	26.992
3585/3520	41.275	84.138	26.992
3585/3525	41.275	87.312	30.162
3586/3520	45.237	84.138	26.992
3586/3525	45.237	87.312	30.162
359 S/352	46.038	90.119	23.000
359 S/354 X	46.038	85.000	20.638
365/362 A	50.000	88.900	20.637
K-366/K-362 A	50.000	88.900	20.637
367/362	45.000	90.000	20.000
368 A/362 X	50.800	90.000	25.000
369 S/2/362 A/2	47.625	88.900	23.812
37425/2/37625/2	107.950	158.750	23.020
K-37425/K-37625	107.950	158.750	23.020
37431/37625	109.538	158.750	23.020
3775/3720	50.800	93.264	26.988
3775/3730	50.800	93.264	26.988
K-3767/K-3720	52.388	93.264	26.988
K-3767/K-3730	52.388	93.264	26.988
K-3776/K-3720	44.983	93.264	26.988
K-3778/K-3720	47.625	93.264	26.988
3779/3732	47.625	98.425	30.163
3780/3720	50.800	93.264	30.162



PART NO	d(mm)	D(mm)	T(mm)
3780/3730	50.800	93.264	26.988
3781/3720	49.212	93.264	26.988
K-3782/K-3720	44.450	93.264	26.988
K-3782/K-3730	44.450	93.264	26.988
3784/3720	50.800	93.264	26.988
3784/3730	50.800	93.264	26.988
K-385 A/K-383 A	50.800	100.000	42.062
K-385/K-382	55.000	98.425	42.062
K-386 A/K-382 A	47.625	96.838	20.886
387 A/382 S	57.150	96.838	25.400
387/382 A	57.150	96.838	20.886
K-387/K-383 A	57.150	100.000	42.062
3872/3820	34.925	85.725	30.163
3872/3821	34.925	85.725	30.163
3877 A/3821	41.275	85.725	30.163
K-3877/K-3820	41.275	85.725	30.163
K-3878/K-3820	36.512	85.725	30.163
K-388 A/K-382	57.531	98.425	20.886
389 A/382	53.975	98.425	20.886
K-390 A/K-394 A	63.500	110.000	45.245
392/394 A	61.912	110.000	45.245
K-395/K-394 A	63.500	110.000	45.245
39573/39521	50.800	112.712	30.163
39575/39520	50.800	112.712	30.163
39580/39520	57.150	112.712	30.162
39580/39528	57.150	119.985	32.750
39581/39520	57.150	112.712	30.162
39581/39521	57.150	112.712	30.163
39581/39528	57.150	119.985	32.750
39585/39521	63.500	112.712	30.163
K-39585/K-39520	63.500	112.712	30.163
39586/39521	64.988	112.712	30.163
39586/39528	64.988	119.985	32.751
39590/39520	66.675	112.712	30.162
39590/39521	66.675	112.712	30.163
39590/39528	66.675	119.985	32.750
396/394 A	50.000	110.000	45.245
3975/3925	50.800	112.712	30.163
3977/3921	60.000	109.985	29.751
K-3979/K-3920	57.150	112.712	30.163
398/394 AS	50.800	110.000	45.245
K-3980/K-3925	60.325	112.712	30.163
3982/3920	63.500	112.712	30.162
K-3982/K-3925	63.500	112.712	30.163
3984/2/3920/2	66.675	112.712	30.162
K-3984/K-3925	66.675	112.712	30.163
K-399 A/394 A	68.262	110.000	45.245
4T K-43125/K-43312	31.750	79.375	25.400
A 4059/A 4138	14.989	34.988	10.998
408215	90.000	140.000	23.750
K-41125/K-41286	28.575	72.626	24.607
H 414249/210	71.438	136.525	41.275
415/414	38.100	88.500	26.988
418/414	38.100	88.500	26.988



PART NO	d(mm)	D(mm)	T(mm)
K-419/K-414	41.275	88.500	26.988
420/414	40.000	88.500	26.988
K-42346/K-42584	87.960	148.430	57.150
42350/42584	88.900	148.430	57.150
42350/42587	88.900	149.225	63.500
K-42368/K-42584	93.662	148.430	57.150
K-42381/K-42584	96.838	148.430	28.575
42683/42620	73.025	127.000	30.163
42687/42620	76.200	127.000	30.126
K-42687/K-42620	76.200	127.000	30.163
K-42688/K-42620	76.200	127.000	30.163
42690/42620	77.788	127.000	30.163
4375/4335	38.100	90.488	39.687
438/429	44.450	90.000	30.958
K-438/K-432 A	44.450	95.250	27.783
4388/4335	41.275	90.488	39.687
4395/4335	42.070	90.488	39.687
441026 A	55.000	100.000	56.300
44158/44348	39.688	88.500	13.493
K-44162/K-44348	41.275	88.500	13.493
44640/44610	23.812	50.292	14.224
L 44643/610	25.400	50.292	14.224
L 44649/610	26.988	50.292	14.224
45280/45221	44.450	104.775	30.162
K-45284/K-45220	50.800	104.775	30.162
45291/45220	57.150	104.775	30.162
L 45449/410	29.000	50.292	14.224
455 S/454	50.800	110.000	27.795
K-456/K-453 X	53.975	104.775	30.162
K-4580/K-4535	50.800	90.488	39.687
4580/2/4535/2	50.800	104.775	39.688
460/453 A	44.450	107.950	27.782
46176/46368	44.450	93.662	31.750
462/453 X	57.150	104.775	30.162
K-462/K-454	57.150	110.000	27.795
K-467/K-453 A	47.625	107.950	27.782
467/454	47.625	110.000	27.795
K-46790/K-46720	165.100	225.425	40.970
468/453 X	52.388	104.775	30.162
K-469/K-453 X	57.150	104.775	30.162
47487/20	69.850	120.000	32.545
47490/47420	71.438	120.000	32.545
475/472 A	55.000	120.000	29.002
K-476/K-472	60.000	120.000	29.794
47678/47620	76.200	0.133	33.338
47679/47620	76.200	133.350	33.337
47680/47620	76.200	133.350	33.337
47685/47620	82.550	133.350	33.337
K-47686/K-47620	82.550	133.350	33.337
47687/47620	82.550	133.350	33.337
477/472 A	63.500	120.000	29.002
478/472 A	65.000	120.000	29.002
K-47890/K-47820	92.075	146.050	33.337
47896/47820	95.250	146.050	33.338



PART NO	d(mm)	D(mm)	T(mm)
479/472 A	66.675	120.000	29.002
K-480/K-472 A	68.262	120.000	29.002
482/472	69.850	120.000	29.795
48282/48220	120.650	182.562	39.689
48290/48220	127.000	182.562	39.688
K-483/K-472 A	63.500	120.000	29.002
48385/48320	133.350	190.500	76.995
K-48393/K-48320	136.525	190.500	76.995
K-484/K-472 A	70.000	120.000	29.002
48548/48514	34.925	68.262	38.100
LM 48548 A/510	34.925	65.088	18.034
48684/48620	142.875	200.025	44.400
48685/48620	142.875	200.025	44.400
K-49175/K-49368	44.450	93.662	31.750
K-495/K-492 A	82.550	133.350	57.150
K-495/K-493	82.550	136.525	57.150
K-496/K-492 A	80.962	133.350	57.150
K-496/K-493	80.962	136.525	57.150
K-497/K-492	85.725	133.350	30.162
K-497/K-493	85.725	136.525	57.150
K-498/K-492	84.138	133.350	30.162
K-498/K-493	84.138	136.525	57.150
50KW/3720	50.000	93.264	30.162
LM 501349/2/310/2	41.275	73.431	19.558
K-LM 501349/K-LM 501311	41.275	73.431	23.012
LM 501349/310	41.275	73.431	19.558
LM 501349/314	41.275	73.431	21.430
LM 503349/310CL7C	46.000	74.976	18.000
K-HM 518445/K-HM 518410	88.900	152.400	39.688
JLM 508748/710	60.000	95.000	24.000
JM 511946/910	65.000	110.000	28.000
JM 515649/610	80.000	130.000	35.000
522380	50.813	100.000	35.000
52387/52637	98.425	161.925	73.022
K-52400/K-52618	101.600	157.162	73.022
524850	80.000	130.000	34.800
525/522	38.100	101.600	34.925
526/522	41.275	101.600	34.925
K-527/K-522	44.450	101.600	34.925
527053 C	54.500	104.775	36.513
527056 C	30.000	62.000	24.000
528 R/522	47.625	101.600	34.925
K-529/K-522	50.800	101.600	34.925
528946	105.000	170.000	38.000
528983	70.000	130.000	57.000
53178/53377	44.450	95.250	30.958
534565	70.000	130.000	57.000
535/532 A	44.450	107.950	38.100
535/532 X	44.450	107.950	38.100
5356/5335	44.450	103.188	43.657
5358/5335	47.625	103.188	43.657
536/532 X	47.625	107.950	36.513
537/532 X	50.800	107.950	36.512
539/532 A	53.975	107.950	36.512



# Kasuma<sup>®</sup>

## BEARINGS

PART NO	d(mm)	D(mm)	T(mm)
539/532 X	53.975	107.950	36.512
K-5395/K-5335	49.212	103.188	43.657
K 55175 C/55437	44.450	111.125	30.163
K-55187/K-55443	47.625	112.712	30.163
K-55200/K-55437	50.800	111.125	30.163
554/553 X	61.912	122.238	38.100
555 S/552 A	57.150	123.825	38.100
555/553 X	50.800	122.238	38.100
559/553 X	63.500	122.238	38.100
K-560/K-552	66.675	123.825	38.100
560/553 X	66.675	122.238	38.100
K-56418/K-56650	106.362	165.100	36.512
K-56425/K-56650	107.950	165.100	36.512
565/562	63.500	130.048	36.512
566/563	69.850	127.000	36.512
567/563	73.025	127.000	36.512
569/563	64.963	127.000	36.512
57414	40.988	67.975	17.500
575/572	76.200	139.992	36.512
576/572	73.025	139.992	36.513
577/572	74.612	139.992	36.513
K-580/K-572 X	82.550	139.700	80.962
K-582/K-572	82.550	139.992	36.513
581/572	80.962	139.992	36.513
592/594	95.250	152.400	39.688
593/592 A	88.900	152.400	39.688
594/592 A	95.250	152.400	39.688
595 A/592 XS	79.375	147.638	35.718
595/593 X	82.550	150.000	35.992
596/592 A	85.725	152.400	39.688
598/592 A	92.075	152.400	39.688
LM 603049/011	45.242	77.788	19.842
K-621/K-612	53.975	120.650	41.275
K-623/K-612	57.150	120.650	41.275
623/614 X	57.150	115.000	41.021
636/633	53.975	130.175	41.275
6379/K-6320	65.088	135.755	53.975
6380/6320	54.813	135.755	53.975
6381/6320	54.988	135.755	53.975
6382/6320	63.500	135.755	53.975
6386/K-6320	66.675	135.755	53.975
6389/6320	66.675	135.755	53.975
639/633	63.500	130.175	41.275
639297	28.000	57.150	17.662
639330	39.000	71.996	21.500
639337	33.338	76.200	29.370
639338	34.925	76.200	29.370
K-641/K-632	66.675	136.525	41.275
K-641/K-633	66.675	130.175	41.275
K-643/K-632	69.850	136.525	41.275
643/633	69.850	130.175	41.275
K-644/K-633	71.438	130.175	41.275
64432/64708	110.000	180.000	41275.000
64450/64700	114.300	177.800	41.275



# Kasuma<sup>®</sup>

## BEARINGS

PART NO	d(mm)	D(mm)	T(mm)
64450/64701 X	114.300	178.000	82.550
645/633	71.438	130.175	41.275
K-6460/K-6420	73.025	149.225	53.975
6461/6420	76.200	149.225	53.975
K-65200/K-65500	50.800	127.000	44.450
K-65212/K-65500	53.975	127.000	44.450
65231/65500	58.738	127.000	44.450
65235/65500	59.880	127.000	44.450
K-65237/K-65500	60.325	127.000	44.450
65390/65320	49.212	114.300	44.450
655/653	69.850	146.050	41.275
6559/6535	82.550	161.925	53.974
6576/6525X	76.200	160.000	53.975
658/653 X	74.612	150.000	41.275
6580/6525X	88.900	160.000	53.975
K-6580/K-6535	88.900	161.925	53.974
K-6581/K-6535	90.000	161.925	53.974
K-659/K-653	76.200	146.050	41.275
661/653	79.375	146.050	41.275
K-663/K-652	82.550	152.400	41.275
663/653	82.550	146.050	41.275
K-665 A/K-652	85.725	152.400	41.275
665/653	85.725	146.050	41.275
66589/66520	59.972	122.238	33.338
K-LM 67048/K-LM 67010	31.750	59.131	15.875
67388/67322	127.000	196.850	46.038
K-67390/K-67322	133.350	196.850	46.038
67391/67322	133.350	196.850	46.038
677/672	85.725	168.275	41.275
K-681/K-672	92.075	168.275	41.275
68145/68111	35.000	59.974	15.875
L 68149/110	34.988	59.131	15.875
L 68149/111	34.988	59.974	15.875
682/672	94.976	168.275	41.275
683/672	95.250	168.275	41.275
68450/68709	114.300	179.974	34.925
68450/68712	114.300	180.975	34.925
K-68462/K-68712	117.475	180.975	34.925
687/672	101.600	168.275	41.275
JL 69345 A/310	38.000	63.000	17.000
JL 69345 F/310	38.000	63.000	17.000
JL 69345 X/310	38.000	63.000	17.000
JL 69345/310	38.000	63.000	17.000
K-JL 69349/K-JL 69310	38.000	63.000	17.000
69354/69630	89.992	160.096	30.124
JF7049/7010	70.000	130.000	43.000
JM 714249/210	75.000	120.000	31.000
JM 718149 A/110	90.000	145.000	35.000
JHM 720249/210	100.000	160.000	41.000
72200 C/72487	50.800	123.825	36.512
72212/2/72487/2	53.975	123.825	36.512
72225 C /72487	57.150	123.825	36.512
K-740/K-742	80.962	150.089	44.450
740/743	80.962	150.000	44.455



# Kasuma®

## BEARINGS

PART NO	d(mm)	D(mm)	T(mm)
745 A/742	69.850	150.089	44.450
745 S/743	63.500	150.000	44.455
74550/74850	139.700	215.900	47.625
748/743	80.000	150.000	44.455
K-749/K-742	85.026	150.089	44.450
749/743	85.026	150.000	44.455
750/743	79.375	150.000	44.455
K-755/K-752	76.200	161.925	47.625
756 A/752	79.375	161.925	47.625
K-757/K-752	82.550	161.925	47.625
K-758/K-752	85.725	161.925	47.625
K-759/K-752	88.900	161.925	47.625
K-760/K-752	90.488	161.925	47.625
762 XA/752	73.025	161.925	47.625
766/752	88.900	161.925	47.625
767 X/752	90.000	161.925	47.625
K-78215/K-78551	53.775	140.030	36.512
78250/78537	63.500	136.525	36.513
78250/78551	63.500	140.030	66.091
78349/78310	34.988	61.973	18.053
795/792	120.650	206.375	47.625
797/792	130.000	206.375	47.625
799/792	128.587	206.375	47.625
801023 AB	29.000	50.292	35.040
HM 801346 X/2/310VQ523 *	38.100	82.550	29.370
HM 801346/310	38.100	82.550	29.370
801464 A	60.000	137.300	33.700
M 802048/011	41.275	82.550	26.543
HM 803146/110	41.275	88.900	30.162
HM 803146/2/110/2	41.275	88.900	30.162
HM 803149/110	44.450	88.900	30.162
K-HM 804840/K-HM 804810	41.275	95.250	30.958
K-LM 806649/K-LM 806610	53.975	88.900	19.050
HM 807040/010	44.450	104.775	36.512
HM 807046/010	50.800	104.775	36.512
807048/807010	54.500	104.745	36.512
L 814749/710	76.200	109.538	19.050
LM 814849/2/810/2	77.788	117.475	25.400
JM 822049/JM 822010	110.000	165.000	35.000
EK-M 84249/EK-M 84210	25.400	59.530	23.368
M 84548/2/510/2VQ506 *	25.400	57.150	19.431
K-861/K-854	101.600	190.500	57.150
86643/86610	25.400	64.292	21.432
M 86647/610	28.575	64.292	21.433
86648/86510	30.995	64.292	21.433
M 86649/2/610/2VQ506 *	30.162	64.292	21.433
M88040/M88010	28.575	68.262	22.225
M 88043/010/2	30.162	68.262	22.225
K-M 88046/K-M 88010	31.750	68.262	22.225
M 88048/2/010/2	33.338	68.262	22.225
88540/88513	30.000	72.000	29.370
HM 88542/2/510/2	31.750	73.025	29.370
HM 88542/510	31.750	73.025	29.370
K-HM 88547/K-HM 88510	33.338	73.025	29.370



PART NO	d(mm)	D(mm)	T(mm)
88630/88610	25.400	72.233	25.400
K-HM 88638/K-HM 88610	31.986	72.233	25.400
HM 88648/610	35.717	72.233	0.025
HM 88649/2/610/2	34.925	72.233	25.400
89440/89411	31.750	76.200	29.369
89443/89411	33.338	76.200	29.369
K-HM 89443/K-HM 89410	33.338	76.200	29.369
89444/89411	33.338	76.200	29.369
HM 89446/2/410/2	34.925	76.200	29.370
K-HM 89446/K-HM 89411	34.925	76.200	29.369
89448/89411	36.512	76.200	29.369
HM 89449/2/410/2	36.512	76.200	29.370
K-HM 89449/K-HM 89411	36.512	76.200	29.369
HM 903249/2/210/2	44.450	92.250	30.958
HM 903249/W/210	44.450	92.250	30.958
90381/90744/HA1	96.838	188.913	53.297
90381/90744/HA1	96.838	188.913	53.297
HM 911245/W/2/210/2	60.325	130.175	36.512
HM 911245/W/210V001 *	60.325	130.175	36.512
H 913842/810	61.912	146.050	41.275
H 913843/810	61.912	146.050	41.275
913849/10	69.850	146.050	41.275
9285/9220/CL7C	76.200	161.925	49.212
K-938/K-932	114.300	212.725	66.675
9380/9321	76.200	171.450	49.212
95500/95925	127.000	234.950	139.700
K-95525/K-95925	133.350	234.950	139.700
T2DD 065	65.000	110.000	31.000
T2ED 045	45.000	95.000	36.000
T2ED 050	50.000	100.000	36.000
T2ED 055CLN	55.000	110.000	39.000
T2ED 070CLNVB061	70.000	130.000	43.000
T2EE 040VB134	40.000	85.000	33.000
T2EE 060	60.000	115.000	40.000
T2EE 100	100.000	165.000	47.000
T3FE 075VB481	75.000	145.000	52.000
T4CB 100	100.000	145.000	24.000
T4CB 120	120.000	170.000	27.000
T4CB 140	140.000	195.000	29.000
T4DB 150	150.000	210.000	32.000
T5ED 090U4	90.000	150.000	42.000
T7FC 045/HN3Q	45.000	95.000	29.000
T7FC 050	50.000	105.000	32.000
T7FC 055	55.000	115.000	34.000
T7FC 060	60.000	125.000	37.000
T7FC 065	65.000	130.000	37.000
T7FC 070	70.000	140.000	39.000
T7FC 075	75.000	150.000	42.000
T7FC 080	80.000	160.000	45.000
T7FC 095/CL7CVQ051	95.000	180.000	49.000

### Double Row Taper Bearings

PART NO	d(mm)	D(mm)	T(mm)
---------	-------	-------	-------



PART NO	d(mm)	D(mm)	T(mm)
407232	50.000	115.000	68.300
409022	45.000	100.000	39.688
92-8007 W	94.000	148.000	142.000
92-8007 W	93.800	148.000	142.000
NP 724254	90.000	160.000	125.000

